Remington Arms Company, Inc. 870 Remington Drive PO Box 700 Madison, NC 27025-0700 (336) 548-8700 800-243-9700

REMINGTON Arms Company, Inc.

MODEL 24 AUTOLOADING RIFLE

- Shooting Safety Commandments
- Information
- Instructions for Operation & Care of Rifle
- Components Parts Listing
- Value and Reference Book Listing

NOTE: We are pleased to accommodate your request for the Model 24 Autoloading Rifle information. The following documentation represents all information available on this model from the Remington Arms Co., Inc.

DO NOT MAKE CHANGES OR ALTERATIONS TO ANY PARTS OF A FIREARM. USE ONLY REMINGTON PARTS. NEVER MAKE AN ADJUSTMENT TO THE TRIGGER, OR CHANGE THE SHAPE OR SIZE OF THE SEAR, SEAR NOTCH, OR OTHER PARTS.

Ten Commandments of Shooting Safety

- 1. Always keep the muzzle pointed in a safe direction.
- 2. Firearms should be unloaded when not in use.
- 3. Don't rely on your gun's "safety".
- 4. Be sure of your target and what is beyond it.
- 5. Use correct ammunition.
- 6. If your gun fails to fire when the trigger is pulled, handle with care!

विशेषात्र व्यवस्थात्रम् । सर्वे विशेषात्र विशेषात्र स्थित संस्कृतिकार सेन्द्र स्थापित स्थापित स्थापित स्थापित स्थापित स्थापित स्थापित स्

- 7. Always wear eye and ear protection when shooting.
- 8. Be sure the barrel is clear of obstructions before shooting.
- 9. Do not alter or modify your gun, and have guns serviced regularly.
- 10. Learn the mechanical and handling characteristics of the firearm you are using.

emington


Autoloading Rifle, Model 24

Chambered for the regular ".22 Short" cartridge entitioned and partial effective chambered for the fer metterferen fer tibm demann den Bam HOM

rve as a practical arm for the securing of ovide a great deal of pleasure and also y proprietor. For a vacation trip it will noeist, motorist, trapper and shooting gal-HE new Remington (.22 Short) Auto arm for the rifle enthusiast, camper loading Rifle, Model 24, is the ideal

ar that it may be obtained anywhere, even smok cartridge. This cartridge is so popandard ".22 Short" Smokeless Greased or fle to handle successfully the popular the crossroads store in the backwoods. The Model 24 is the first Autoloading

ry to pull the trigger for each shot. The coil ejects the fired shell, loads the rifle and d dependable, makes possible rapid firing moving game or targets. It is only neces-The autoloading feature, which is prompt





for cleaning. Push trigger plate forward and withdraw with breech block. Action instantly removable


> Smokeless Greased The regular ".22 Short"

> > as fast as the operator desires. zine holds 15 cartridges which may be fire makes it ready for the next shot. The mage

The contraction of the state of

empty shells out of the line of sight and away or twigs from entering the action. tion that is so effective in keeping dirt, rai 24 has the hammerless, solid breech construc from the shooter's face. from the underside of the receiver keeps th <u>-Like other-Remington-firearms, the Mod</u>

manner. the barrel from the breech in the prope the use of tools and permits the cleaning of ment of barrel with receiver when assemble Repeating Shotguns insures the rigid align The barrel may be removed instantly withou tem of take-down as used in Remingto The same strong, interrupted thread sy



ANNOUNCEMENT

Submitting J. M. Browning's Latest Design of the Autoloading Rifle



MODEL 24 AUTOLOADING RIFLE

Solid Breech

Hammerless

Take-down

Made for Standard .22 Caliber Short Cartridge Only Bottom Ejector



HE Model 24 Remington Hammerless Auto-loading Rifle is the product of latest design, shooting gallery and other short range purespecially intended to meet the demand ard .22 caliber short cartridge. poses, which will successfully handle the standfor an autoloading small caliber rifle, for

modern autoloading rifle and in addition can be very barrel and action. easily dismounted for thoroughly cleaning and oiling the This model embodies all the popular features of the

highly recommended for all who desire a reliable arm It is provided with convenient safety devices, and

REMINGTON ARMS COMPANY, Inc.

25 Broadway, Cunard Building NEW YORK CITY

Remington

Model 24.22 Caliber Autoloading Rifles

Chambered for two Cartridges .22 Short or .22 Long Rifle Cartridge.
Not Interchangeable.



Solid Breech

Hammerless

Take-Down

HE new Remington Model 24, is the first autoloading rifle to successfully handle .22 short Smokeless Greased or Lesmok cartridges. It is also made to take the .22 Long Rifle Smokeless or Lesmok

The Model 24 has the hammerless, solid breech construction, preventing dirt, rain or twigs from entering the action which construction gives the arm a very pleasing appearance. The cartridges may be fired as fast as desired, by pulling the trigger for each shot. The recoil ejects the fired shell, loads the rifle, making it ready for the next shot.

portion of trigger guard for operation with trigger finger. The safety is of the Cross-bolt type, conveniently located in front

be removed instantly without the use of tools, and permits the cleaning of the barrel from the breech in the proper manner. The action is simple and strong and easily taken apart for cleaning. rigid alignment of barrel with receiver when assembled. The barrel may The strong, interrupted thread system of take-down insures the

To put rifle together grasp receiver firmly in right hand, insert the barrel (with fore-end projecting to left) quarterwise into the receiver as far as possible, give barrel quarter turn to right until stopped. Push barrel lock, located in lower side of fore-end, into notch in receiver to prevent barrel from loosening.



To take down, push barrel lock forward, pull breech block partly rearward, give tarrel quarter turn to left and withdraw. Barrel may now be cleaned from breech in proper manner.



Chambered for the .22 Short or .22 Long Rifle Cartridge Not Interchangeable.

Take-Down


Solid Breech

Hammerless


No. 24A "Standard" Grade

SPECIFICATIONS:---19-inch Remington steel, round barrel, half pistol grip stock of American walnut, fitted with steel butt plate. Chambered to take the .22 short cartridge only or the .22 long rifle cartridge only. Specify which is desired. When chambered for .22 short, magazine holds fifteen cartridges, .22 long rifle, ten. One rifle is not supplied to take both cartridges. Sights regularly furnished; rear sight with screw adjustment for clevation and white metal bead front sight; top of receiver is matted. Length over all, 37 inches. Length taken down, 19 inches. Remington cartridges have been especially developed to give best results in this rifle and their use is strongly recommended. Greased cartridges should always be used. Weight about 4% lbs.





SPECIFICATIONS:-Same se No. 24A, except that stock and fore-end are of selected imported walnut, neatly checkered. Special sights adapted to this rifle shown on pages 91, 92 and 83.



Firearms Value & Reference Books

NOTE: We do not provide information on firearms' values. You may want to have your firearm appraised by a gunsmith. The following sources may also be helpful. We do not accept responsibility for the goods or services provided by these sources.

Firearms Value Books

Blue Book of Gun Values
Blue Book Publications
8009 34th Avenue South #175
Minneapolis, MN 55425
800-877-GUNS

Flayderman's Guide to Firearm Values
Gun List
Modern Gun Values
Krause Publications
700 East State Street
Iola, WI 54990-0001
847-573-8530

Gun Trader's Guide Stoeger Publishing Company 5 Mansard Court Wayne, NJ 07470 973-872-9500

Reference Books

The Remington 700
John Flacy
Brownells, Inc.
200 South Front Street
Montezuma, IA 50171
515-623-5401

Cartridges of the World
Frank C. Barnes
Standard Catalog of Firearms
Krause Publications
700 East State Street
Iola, WI 54990-0001
847-573-8530

Shooter's Bible
Stoeger Publishing Company
5 Mansard Court
Wayne, NJ 07470
973-872-9500

Remington, America's Oldest
Gunmanker
Remington Arms Co.
PO Box 700
Madison, NC 27025
Attention: History Book
800-423-8495

RADOR CONSTRUCT A SIGNAR OF THE

a alamati na ego melo a la sel se mengal mendase transposit en melencom alte saltendas ase en la cilita. A golden a golden a la cilita de la selección de la selección de la cilita de la cilita de la cilita de la cil A cilita de la cili

Color of the state of the state

no de distribuira de constante de la compansa de la

Zádně subvistoř

He reconstructed and void to be a confidence of the confidence of

Caracter of the North and Alband States of the Control of the Cont

A GARLES AND THE CONTRACT OF T